

IMPORTANT MEDICAL INFO



**THIS PATIENT HAS ARGININE VASOPRESSIN
DEFICIENCY / DIABETES INSIPIDUS AND NEEDS
DAILY REPLACEMENT WITH DESMOPRESSIN**

If the patient is conscious, she/he should take the usual daily desmopressin treatment and drink freely.

If the patient is not conscious, she/he should be hydrated with isotonic intravenous infusion and treated with desmopressin (i.v. or nasal) with close blood electrolyte monitoring.

Hypernatremia indicates lack of desmopressin, hyponatremia overtreatment.

Name

Date of birth



European Society
of **Endocrinology**

Важная информация медицинского характера



**У этого пациента недостаточность
аргинина вазопрессина / несахарный
диабет и он нуждается в ежедневном
приеме препарата десмопрессин**

В случае неотложной медицинской или
хирургической ситуации:

Если пациент находится в сознании, ему/ей
необходимо ежедневно принимать десмопрессин и
иметь свободный доступ к питью.

Если пациент не в сознании, ему/ей следует провести
гидратацию путем внутривенной инфузии
изотонического раствора и лечение десмопрессином
(в/в или назально) с тщательным мониторингом
уровня электролитов в крови.

Гипернатриемия указывает на недостаток
десмопрессина, а гипонатриемия — на
передозировку.

Ф. И. О.

Дата рождения